



Always
secure

CATALOG

2023



ALPHABETICAL

INDEX

A	ALUMINIUM SHACKLE	37		HINGES	28
	ARMORED HOOK PADLOCKS	31		HINGES SQUARE	12
	AUXILIARY MORTISE LATCHES	13		HOLLOW DRAWER PULL BARS	30
B	BOLD LETTERS	18		HOOK TYPE MAXIMUM SECURITY PADLOCK	31
	BOLD NUMBERS	18		HYDRAULIC DOOR CLOSERS	14
	BOLT HINGES	12	K	KEYED BOLT	22
C	CABINET LOCK	26		KNOB FOR BEDROOM	9
	CABLE LOCK	40		KNOB FOR ENTRY	9
	CABLE LOCK WITH KEY	40	L	LAMINATED PADLOCK	38
	CHANTEL HANDLE WITH PLATE	7		LATCHES SLIDE	23
	CLASIC RIM LOCK	20		LETTERS	18
	CLASSIC DRAWER	29		LOCK COMBOS	9
	CLASSIC DUAL FUNCTION SETS	7		LOCKS FOR SLIDE DOORS	26
	CLASSIC DUAL FUNCTION SETS STANDARD	7	M	MAGNETIC DOOR STOP	17
	CLASSIC HANDLES	29		MAIL BOXES	18
	CLASSIC KNOB PULL	30		MAUSER TYPE PIN	23
	CLASSIC LINE	25		MODERN KNOB PULL	30
	CLASSIC SETS	8	N	NUMBERS	18
	CLOSET TROLLEY RAIL TYPE	26	O	OVAL TUBE FOR CLOSET	27
	COMBINATION PADLOCK	39	P	PADLOCK LONG SHACKLE	33
	COMBINATION WIRE LOCK	40		PADLOCK No.9 LONG	32
	COMMERCIAL LOCKS	25		PADLOCK No.9 SHORT	32
	CURTAIN PADLOCKS SETS	35		PADLOCK SETS STANDARD	32
	CURVE HINGE	28		PADLOCK SHORT SHACKLE	33
	CYLINDER SLIDING DOOR	19		PIANO HINGES	24
	CYLINDERS	8		PIANO HINGES WITH HOLES	24
	CYLINDRICAL HANDLE BEDROOM	11	R	RESIDENTIAL DEADBOLT	11
	CYLINDRICAL HANDLE ENTRY	11		RIALS FOR CLOSET	27
D	DEADBOLT AND LOCK	8		ROLL DOOR STEEL PADLOCK	35
	DECORATIVE HANDLE FOR SURFACE LOCK	21		ROLL DOOR STEEL PADLOCK	35
	DIGITAL LOCK	11	S	SAFETY PINS FOR SWING DOORS	16
	DISC BRAKE PADLOCK	39		SLIM NUMBERS	18
	DISC COMBINATION PADLOCK	39		SOLID BRASS PADLOCK	36
	DOOR GUARD	15		SOLID BRASS PADLOCK LONG SHACKLE	36
	DOOR GUARD WITH CHAIN	16		SOLID BRASS PADLOCK SHORT SHACKLE	36
	DOOR HANDLE SET	6		SOLID DRAWER PULL BARS	30
	DOOR HASP	16		SOLID PADLOCK	36
	DOOR SEAL	17		STAINLESS STEEL HINGES	5
	DOOR STOP	17		STEEL PADLOCK SHORT SHACKLE	32
	DOOR VIWER	16		STRAIGHT HINGE	28
	DOUBLE ACTION HINGES	13		SUPPORT SETS	27
	DOUBLE HAT HOOK	27		SURFACE RIM LOCKS	20
E	ELECTRIC STRIKE	21		SWEEP ONE TOUCH	14
	EURO LINE	25	T	TUBULAR HANDLE ENTRY AND BEDROOM	10
F	FURNITURE LOCKS	26		TUBULAR HINGES	24
G	GATE TROLLEYS	24		TUBULAR KNOBS	10
H	HANDLE SET	6		TWO-DIMENSIONAL SOFT CLOSING HINGES	28
	HAT HOOK	27	U	UNIVERSAL BARS	15
	HIGH LEVER PADLOCK	30	W	WATERPROOF PADLOCK SETS	37
	HIGH SECURITY PADLOCK	30		WATERPROOF PADLOCK SHORT SHACKLE	38
	HIGH SECURITY SURFACE LOCK	19		WINDOWS PIN	23

HISTORY



115
years

**+Simpler
+Faster
+Safer**

With more than 115 years and based on a clear strategy of growth through quality, innovation, technology and diversification focus as the added value for our Customers, Distributors and employees today we have presence in more than 20 countries.

We continue with our commitment seeing the future with optimism and trying always to maintain **our values of integrity, honesty and leadership to keep being the best Company in the hand tools market.**

Urrea Group has 2 Divisions: "Valves Faucets and Ceramics" ("Providing Life to Water") and "Total Solutions in Tools and Locksmith products" both leading their market segment.



BEGINNING

1907	1963	1985
Valvulas Carroll is founded (Carroll faucets).	Morris Pendelton, the owner of Pendelton Tool Industries (Proto*) and Raul Urrea, established a joint venture, Protomex, to manufacture Proto* tools in Mexico.	Urrea is launched as a superior quality tool Brand and Urrea Group was established.

EVOLUTION

1999	2003	2005
Surtek brand is launched helping with diversification, Company growth and globalization.	Store Concept is developed as innovation concept to boost the way to sell and satisfy our Customer requirements.	Manufacturing facility for construction tools settled.
2006	2007	2009
Lock brand is acquired, first manufacturing facility of locksmith products in Mexico with more than 60 years of tradition.	Grupo Urrea 100 years of history. New Distribution Center is opened with technology and radiofrequency WMS. pick to light processes.	Investment in new manufacturing facilities for hoses and metal boxes.

CONSOLIDATION

2010	2012	2014
Test and Innovation Center is opened as our commitment to ensure quality of our products, components and raw materials.	Prolok and Proforza brands are purchased from Locksmith business.	1st place in the GPTW ranking for Mexico Center & West region as the "best place to work".
2015	2016	
An extension of the Distribution Center is built and Distribution Center in San Antonio, TX is established.	Another extension of main Distribution Center is built.	

TRANSFORMATION

2017	2018	2019
Fully automated section with pick to light, conveyors and improved processes implemented.	Platinum level accreditation in the M100 certificate recognition for companies that use 100% original software as well as IBM Power 9 solution implemented.	Certification as "Clean Industry" was accomplished. 40% increase in picking automated process.
2020	2021	2022
Operation Excellence to reduce energy costs. Automation and digitalization of processes as well as new technology acquired to go through the new conditions.	Surtek brand was introduced into the USA market. Expansion lands acquired for additional manufacturing facilities & investments in El Salto, Mexico.	Construcción of the additional manufacturing area in our facility that will allow us to increase our manufacturing capabilities of houses, ches drawers, metal tool boxes, wheel barrows, and any new products. A new distribution center in Colombia.



WARRANTY

LOCK, PROLOK AND PROFORZA

Urrea Professional Tools and its locksmith division **that the products offered are Proforza, Lock and Prolok brands are free from defects in workmanship and materials.** We agree to replace or repair any product that has failed during its useful life due to defects attributable to workmanship and materials, provided that they are used under normal conditions and in accordance with the specific warranty of the particular product, free of charge and directly at the place of purchase or an authorized dealer.

Our locksmith product line **are designed to offer the highest security** to users and with the best quality. They are made by our highly competent, trained and experience personnel with the best material.

The guarantee is void if:

- The product has been used in conditions other than normal, due to the natural wear of its parts, maintenance and storage that leads to damage to the product due to humidity or dust that results in corrosion or erosion. In addition to any other post sale, transportation and handling activities.
- The product has not been installed or operated according to the accompanying instructions for use.

- The product has been altered by replacement of parts or repaired by unauthorized persons.

Our guarantee is subject to the following conditions:

- The products must be identified from their origin with the permanent brand **Proforza, Lock and Prolok.**
- That the failure was the result of a manufacturing defect, either in your workmanship or materials.

Proforza, Lock and Prolok reserve the right not to repair or replace the product that has been **abused, modified, exceeded or used incorrectly** or without proper maintenance.

Some products such as fittings, accessories, hinges, among others that contain moving parts are subject to wear and tear due to normal use, so it is expected that the user will replace these products after their useful life has expired.

PERFORMANCE TABLE Safety HIGH SECURITY
STANDARD SECURITY Architectural Use Proforza, Lock and Prolok steel hinges are not responsible for personal injury and damage that may result from misuse, abuse, alteration or use beyond the expected life of its products.

SECURITY

AND PERFORMANCE CHART





<div>Lock</div> <div>Always secure</div>									
SECURITY	EXTREME SECURITY			HIGH SECURITY		STANDARD SECURITY			WARRANTY
USE	COMERCIAL LINE	RESIDENTIAL LINE	ARCHITECTURAL LINE	COMERCIAL LINE	RESIDENTIAL LINE	ARCHITECTURAL LINE	COMERCIAL LINE	RESIDENTIAL LINE	
Hardware and accessories									5 YEAR WARRANTY
Furniture accessories									10 YEAR WARRANTY
Hinges									
Bidimensional hinges									
Combination padlocks									
Steel padlocks									20 YEAR WARRANTY
Brass padlocks									
Waterproof padlocks									
Laminated padlocks									
No. 9 padlocks									
Panic exit device									25 YEAR WARRANTY
Floor hinges door									
Bar locks									
Deadbolts									
Knobs									
Rim locks									
Dowels for smithy									
Locks for aliminum doors									
Mounted latches									
Cylinders									
Sets									
Door handle sets									
Handles									

ProForza

SECURITY	ARCHITECTURAL LINE		WARRANTY	SECURITY	ARCHITECTURAL LINE		WARRANTY
	USE				USE		
Steel hinges			15 YEAR WARRANTY	Sets			50 YEAR WARRANTY
Locks			50 YEAR WARRANTY	Handles			
Cylinders							

* Warranty against manufacturing defect (labor and materials).
* Valid guarantee unless the product packaging specifies a different one.

CATALOG

LINES & ICONOGRAPHY

ALWAYS

WORKS

Locks and accessories designed to offer **security and tranquility** in high-traffic places such as offices, hotels, lounges, hospitals and more, manufactured under strict quality standards.



COMERCIAL



ALWAYS

PROTECTED

Locks and accessories of **great resistance and duration**, which exceed the expectations of the user for their excellent performance and security. Designed and manufactured for residential use, focusing on meeting the needs of homes.



RESIDENTIAL



ALWAYS

LEADING

Locks with **design and innovation** that make them the perfect option for projects of an avant-garde architectural line. Without leaving security aside.



ARCHITECTURAL



PADLOCKS

SECURITY FEATURES

Based on the conditions of use and handling, it indicates the characteristics contained in the padlocks.



KEYS

AMOUNT AND TYPE

Indicates the type of keys and the number of copies that are supplied with the product.



CYLINDER

TYPE

Indicates the type of key cylinder and the number of pins, keys, or discs that are made up of the product.



NEW

PRODUCTS

Indicates families of new and improved products.



PRODUCT

INFORMATION

Indicates technical information, uses and recommendations.



VANGUARD

SECURITY

ProForza

STAINLESS STEEL HINGES

SQUARE HINGE FLAT HEAD LOOSE BOLT




	A		B		Thickness		Number of holes
	mm	inch	mm	inch	mm	inch	
BICS20	51	2.00	51	2.00	1	0.06	2
BICS25	63	2.50	63	2.50	2	0.07	6
BICS30	76	3.00	76	3.00	2	0.08	6
BICS35	89	3.50	89	3.50	2	0.09	6
BICS40	101	4.00	101	4.00	2	1.00	8

- Bearing system.
- Installation screws included.
- Smooth opening and closing.
- Corrosion high resistance.

ITEM	DIMENSIONS	HOLES	⌘
BICS20	2" x 2"	2	10
BICS25	2.5" x 2.5"	6	10
BICS30	3" x 3"	6	10
BICS35	3.5" x 3.5"	6	10
BICS40	4" x 4"	8	10

PRICE PER
PIECE



FEEL
PROTECTED



TAKING CARE OF YOU



Always
secure

DOOR HANDLE SET

FUNCTION




Door handle set

Double function Simple function



Description:

The trigger or knob actuates the latch. The deadbolt latch is actuated by turning the key on the outside or inside.



Description:

The outer trigger or inner knob actuates the trigger latch. The latch latch is actuated by turning the key on the outside or the simple mechanism on the inside.

RECTANGULAR DOOR HANDLE SET

RESIDENTIAL
LINE



HIGH
SECURITY



400 000
LIFECYCLES




INCLUDES
INSTALLATION
ACCESSORIES



Outside



Inside



- Adjustable latch.
- Simple and double function.
- Solid brass cylinder.
- Latch manufactured by high pressure zinc chromed.
- Solid handle.

10GA



ITEM	FUNCTION	FINISH	QTY
11GA	Double	Satin nickel	1
10GA	Simple	Satin nickel	1

DOOR HANDLE SET

OVAL DOOR HANDLE SET

RESIDENTIAL
LINE



HIGH
SECURITY



400 000
LIFECYCLES

INCLUDES
INSTALLATION
ACCESSORIES



- The deadbolt latch is made of hardened steel.
- Adjustable latch.
- Simple and double function.
- Solid brass cylinder.
- Latch manufactured by high pressure zinc chromed.
- Solid Handle.
- Laminated shields of stainless steel.
- 5 Pins cylinder.



Outside



Inside

12GA



Outside



Inside

13GA




Outside



Inside

14GA



ITEM	FUNCTION	FINISH	QTY
12GA	Simple	Satin nickel	1
13GA	Simple	Polished brass	1
14GA	Simple	Antique brass	1

CHANTEL HANDLE WITH PLATE


ARCHITECTURAL
LINEHIGH
SECURITY400 000
LIFECYCLESINCLUDES
INSTALLATION
ACCESSORIESSTAINLESS STEEL
FINISH

- 3 Latches mechanism.
- Reversible latch.
- Stainless steel handle and shield.

5 PINS

3 STANDARD
KEYSANSI 3
GRADE

ITEM	FUNCTION	KEY TYPE	
LCHSSPE	Double	Standard	1




SETS




FUNCTION

Triggers Grade 2



Diagram

Steel mortise mechanism, solid brass knob and European type cylinder with standard or dimple key for residential and commercial security.



Features:

Mortise mechanism with double-pass bolt. European profile cylinder.

Function:

Main entrance

Description:

The mechanism is operated only with the key from the outside. The trigger or key actuates the mechanism from the inside.

CLASSIC SETS, HIGH SECURITY

RESIDENTIAL
LINEHIGH
SECURITY400 000
LIFECYCLESINCLUDES
INSTALLATION
ACCESSORIES

L119QLB



L119QLA

5 PRECISION
PINS3 DIMPLE
KEYSANSI 2
GRADE

- Reversible latch made of high pressure zinc.
- Pull made of solid brass.
- Stuffing mechanism made of steel.



ITEM	FUNCTION	
L119QLB	Polished brass Handle / trigger	1
L119QLA	Antique brass Handle / trigger	1

CLASSIC SETS, STANDARD SECURITY

RESIDENTIAL
LINEHIGH
SECURITY400 000
LIFECYCLESINCLUDES
INSTALLATION
ACCESSORIES

L119ELB



L119ELA

5 PINS

3 STANDARD
KEYSANSI 2
GRADE

- Reversible latch made of high pressure zinc.
- Pull made of solid brass.
- Stuffing mechanism made of steel.



ITEM	FUNCTION	
L119ELB	Polished brass Handle / trigger	1
L119ELA	Antique brass Handle / trigger	1

HANDLE/ TRIGGER CLASSIC



- Handle made of solid brass.

ITEM	FUNCTION	
LH119LB	Polished brass Handle / trigger	1
LH119LA	Antique brass Handle / trigger	1

MORTISE MECHANISMS

HIGH SECURITY



LMG45ELB

5 PRECISION PINS 3 DIMPLE KEYS

- Reversible latch made of high pressure zinc.
- Stuffing mechanism made of steel.
- Trigger pull device.
- For wooden swing doors with a thickness from 1-3/8" to 1-3/4".
- For right or left doors in new installations or for replacement.

ITEM	FUNCTION	
LMG45QLB	Dot key	1
LMG45ELB	Standard key	1

EUROPEAN CYLINDERS 2.36", POLISHED BRASS


HIGH SECURITY



STANDARD SECURITY



LC60ELB



Solid brass cylinder european profile 2.36".

6 PRECISION PINS 3 DIMPLE KEYS 3 STANDARD KEYS

ITEM	SECURITY	FUNCTION	
LC60QLB	High	Key - Key	1
LC60ELB	Standard	Key - Key	1

EUROPEAN CYLINDERS 2.75", SATIN NICKEL


HIGH SECURITY



STANDARD SECURITY



LC70ENS



Solid brass cylinder european profile 2.75".

6 PRECISION PINS 3 DIMPLE KEYS 3 STANDARD KEYS

- Includes installation screw.

ITEM	SECURITY	FUNCTION	
LC70QNS	High	Key - key	1
LCM70QNS	High	Keyed-turn button	1
LC70ENS	Standard	Key - key	1
LCM70ENS	Standard	Keyed-turn button	1
LCM70NS	Standard	Unkeyed-turn button	1


COMBOS (KNOB)




FUNCTION



Function:
Double



Function:
Simple



Description:

The combo includes a tubular bedroom knob lock and a double deadbolt. They both have the same key combination.

Features:

Latch with extra security mechanism.
Latch with anti-hack system.
Outdoor key (both).
Indoor key (deadbolt).
Privacy indoor knob.

Description:

The combo includes a tubular bedroom knob lock and a single latch. They both have the same key combination.

Features:

Latch with extra security mechanism.
Latch with anti-hack system.
Outdoor key (both).
Indoor turn button (both).

DEADBOLT AND LOCK COMBO

RESIDENTIAL LINE



HIGH SECURITY



400 000 LIFECYCLES



INCLUDES INSTALLATION ACCESSORIES



Simple

Outside

STAINLESS STEEL FINISH



Inside

11CB



Simple

Outside



Inside

15CB



Simple

Outside



Inside

13CB

5 PINS 4 STANDARD KEYS

- Same key combination.
- Brass cylinders.
- Same combination of key for knob and latch.



ITEM	FUNCTION	
10CB	Double	1
11CB	Simple	1

ITEM	FUNCTION	
14CB	Double	1
15CB	Simple	1

ITEM	FUNCTION	
12CB	Double	1
13CB	Simple	1



FUNCTION



Function:

Outdoor Indoor	Outdoor Indoor	Outdoor Indoor
Key-unkeyed Main entrance	Key-turn button Bedroom	Slot-turn button Bathroom
Features: Latch with security device. External key. Anti-panic system.	Features: Latch with security device. External key. Anti-panic system. Inner privacy.	Features: Standard latch. Inner privacy.

TUBULAR FLAT KNOB

- RESIDENTIAL LINE**
- STANDARD SECURITY**
- 400 000 LIFECYCLES**
- INCLUDES INSTALLATION ACCESSORIES**

STAINLESS STEEL FINISH



19PO



23PO



22PO

5 PINS 2 STANDARD KEYS

ANSI 3 GRADE

- Includes installation accessories.
- Brass cylinder.

ITEM	FUNCTION	
19PO	Stainless steel	
20PO	For bedroom	1
	For bathroom	1

ITEM	FUNCTION	
23PO	Polished brass	
24PO	For bedroom	1
	For bathroom	1

ITEM	FUNCTION	
21PO	Antique brass	
22PO	For bedroom	1
	For bathroom	1

TUBULAR BALL KNOBS

- RESIDENTIAL LINE**
- STANDARD SECURITY**
- 400 000 LIFECYCLES**
- INCLUDES INSTALLATION ACCESSORIES**

STAINLESS STEEL FINISH



10PO



17PO



15PO

5 PINS 2 STANDARD KEYS

ANSI 3 GRADE

- Includes installation accessories.
- Brass cylinder.

ITEM	FUNCTION	
12PO	Stainless steel	
10PO	For entry	1
	For bedroom	1
11PO	For bathroom	1

ITEM	FUNCTION	
18PO	Polished brass	
16PO	For entry	1
	For bedroom	1
17PO	For bathroom	1

ITEM	FUNCTION	
15PO	Antique brass	
13PO	For entry	1
	For bedroom	1
14PO	For bathroom	1

TUBULAR HANDLES



- FEATURES
- Tubular mechanism for easy installation.
- With adjustable handle to 2-3/8" to 2-3/4" with safety device.
- For use on doors from 1-3/8" to 1-3/4" thick.

Function:
Key - turn button
Bedroom

Function:
Slot- turn button
Bathroom

Features:
Latch with security device.
External key.
Inner privacy.


Features:
Standard latch.
Outdoor Emergency.
Device Indoor.
Privacy Handle.

Tropicalized steel tubular body.
Metal front.
High pressure injected chrome zinc latch head.

Laminated shields made of brass or stainless steel.

Ergonomic, long-lasting handle made of high-pressure Zamac.

Adjustable reversible latch with 2-3/8" to 2-3/4" backset (60 mm to 70 mm).



STRAIGHT HANDLES

RESIDENTIAL LINE STANDARD SECURITY 400 000 LIFECYCLES INCLUDES INSTALLATION ACCESSORIES



5 PINS 2 STANDARD KEYS **ANSI 3** GRADE

ITEM	FUNCTION	
10MA	Satin nickel	
	Bedroom / entrance	1
11MA	Bathroom	1

ITEM	FUNCTION	
12MA	Polished brass	
	Bedroom / entrance	1
13MA	Bathroom	1

ITEM	FUNCTION	
14MA	Antique brass	
	Bedroom / entrance	1
15MA	Bathroom	1

CURVE HANDLES

RESIDENTIAL LINE STANDARD SECURITY 400 000 LIFECYCLES INCLUDES INSTALLATION ACCESSORIES



5 PINS 2 STANDARD KEYS **ANSI 3** GRADE

ITEM	FUNCTION	
16MA	Satin nickel	
	Bedroom / entrance	1
17MA	Bathroom	1

ITEM	FUNCTION	
18MA	Polished brass	
	Bedroom / entrance	1
19MA	Bathroom	1

ITEM	FUNCTION	
20MA	Antique brass	
	Bedroom / entrance	1
21MA	Bathroom	1

FLAT HANDLES

RESIDENTIAL LINE STANDARD SECURITY 400 000 LIFECYCLES INCLUDES INSTALLATION ACCESSORIES



5 PINS 2 STANDARD KEYS **ANSI 3** GRADE

ITEM	FUNCTION	
22MA	Satin nickel	
	Bedroom / entrance	1
23MA	Bathroom	1

HANDLE ANTI-PANIC BAR

COMERCIAL LINE STANDARD SECURITY INCLUDES INSTALLATION ACCESSORIES

NEW



4 PINS 3 STANDARD KEYS **ANSI 1** GRADE

ITEM	FUNCTION	KEY TYPE	
24MA	Spare part for 10BA	Standard	1

CYLINDRICAL HANDLES


CYLINDRICAL HANDLES VERMONT



LR062B



- For use on wood and metal doors 1-3/8" to 1-3/4" thick.
- Fixed latch 2-3/8".



ITEM	FUNCTION	TYPE KEY	
LR062B	Key - unkeyed knob	Standard	1
LR000B	Key - turn button	Standard	1
LR030B	Unkeyed - turn button	Unkeyed	1

LOCKS



DIGITAL LOCK






- Low consumption and vacation mode.
- Pin unlock technology and low battery alarm.
- Key operated latch or digital unlock from outside.
- Unlocking butterfly inside.
- Easy programming.



ITEM	OPENING	LOCK	
10CD	Left and right	Digital with key	1

FUNCTION



RESIDENTIAL DEADBOLTS



13CE



17CE





15CE



ITEM	FUNCTION		ITEM	FUNCTION		ITEM	FUNCTION	
12CE	Double	1	16CE	Double	1	14CE	Double	1
13CE	Simple	1	17CE	Simple	1	15CE	Simple	1



SQUARE ARCHITECTURAL HINGES



33BL

DIMENSIONS	A	B	Thickness	Number of holes
3x3"	76 3	76 3	2.15 .085	6
3.5x3.5"	89 3.50	89 3.50	2.15 .085	6
4x4"	101 4.00	101 4.00	2.5 .098	8
4.5x4.5"	114 4.50	114 4.50	3.4 .13	8


- 40% thicker than conventional ones.
- Smooth opening and closing.
- Greater load capacity.
- Made of steel.
- High quality luxury finishes.
- Loose bolt and 2 bearings.
- Two flat heads.
- Includes installation screws.

PRICE PER PIECE



ITEM	FUNCTION	
	Satin nickel	
31BL	3" x 3"	3
32BL	3.5" x 3.5"	3
33BL	4" x 4"	3
34BL	4.5" x 4.5"	3

SQUARE LOOSE BOLT HINGES WITH FLAT HEADS



DIMENSIONS	A	B	Thickness	Number of holes
2x2"	51 2.00	51 2.00	1 0.06	4
2.5x2.5"	63 2.50	63 2.50	2 0.07	6
3x3"	76 3.00	76 3.00	2 0.08	6
3.5x3.5"	89 3.50	89 3.50	2 0.09	6
4x4"	101 4.00	101 4.00	2 1.00	8



LBC30NS



LBC30LB



LBC30LA

- Made of steel.
- High quality luxury finishes.
- Loose bolt.
- Two flat heads.
- Includes installation screws.

PRICE PER PIECE



ITEM	DIMENSIONS	
	Satin nickel	
LBC20NS	2" x 2"	10
LBC25NS	2.5" x 2.5"	10
LBC30NS	3" x 3"	10
LBC35NS	3.5" x 3.5"	10
LBC40NS	4" x 4"	10


ITEM	DIMENSIONS	
	Polished brass	
LBC20LB	2" x 2"	10
LBC25LB	2.5" x 2.5"	10
LBC30LB	3" x 3"	10
LBC35LB	3.5" x 3.5"	10
LBC40LB	4" x 4"	10

ITEM	DIMENSIONS	
	Antique brass	
LBC20LA	2" x 2"	10
LBC25LA	2.5" x 2.5"	10
LBC30LA	3" x 3"	10
LBC35LA	3.5" x 3.5"	10
LBC40LA	4" x 4"	10

ELONGATED STUD BOLT HINGES WITH FLAT HEADS



DIMENSIONS	A	B	Thickness	Number of holes
1x1.06"	25 0.98	27 1.06	1 0.04	4
1.5x1.46"	38 1.50	37 1.46	1 0.05	4
2x1.61"	51 2.01	41 1.61	1 0.05	4
2.5x1.81"	64 2.52	46 1.81	1 0.05	6
3x2.08"	76 2.99	63 2.08	1 0.06	6
3.5x2.52"	89 3.50	64 2.52	1 0.06	6
4x2.87"	102 4.02	73 2.87	2 0.07	8



LBA35NI



LBA35LB



LBA35LA

- Made of steel.
- High quality luxury finishes.
- Riveted bolt.
- Includes installation screws.

PRICE PER PIECE



ITEM	DIMENSIONS	
	Nickel	
LBA10NI	1" x 1.06"	10
LBA15NI	1.5" x 1.46"	10
LBA20NI	2" x 1.61"	10
LBA25NI	2.5" x 1.81"	10
LBA30NI	3" x 2.08"	10
LBA35NI	3.5" x 2.52"	10
LBA40NI	4" x 2.87"	10

ITEM	DIMENSIONS	
	Polished brass	
LBA10LB	1" x 1.06"	10
LBA15LB	1.5" x 1.46"	10
LBA20LB	2" x 1.61"	10
LBA25LB	2.5" x 1.81"	10
LBA30LB	3" x 2.08"	10
LBA35LB	3.5" x 2.52"	10
LBA40LB	4" x 2.87"	10

ITEM	DIMENSIONS	
	Antique brass	
LBA15LA	1.5" x 1.46"	10
LBA20LA	2" x 1.61"	10
LBA25LA	2.5" x 1.81"	10
LBA30LA	3" x 2.08"	10
LBA35LA	3.5" x 2.52"	10
LBA40LA	4" x 2.87"	10

DOUBLE ACTION HINGES

DOUBLE ACTION HINGE SETS

COMERCIAL LINE INCLUDES INSTALLATION ACCESSORIES ADJUSTABLE TENSION

2
PIECES



- Made of stainless steel.
- High quality finishes.
- Includes screws and installation accessories.
- For heavy use and adjustable tension.
- Residential.

PRICE FOR
PACKING WITH
TWO PIECES



10BR

11BR

ITEM	DIMENSIONS	
	Black	
10BR	3"	1
	Polished brass	
11BR	3"	1

MOUNTED LATCHES


MOUNTED LATCHES

RESIDENTIAL LINE STANDARD SECURITY INCLUDES INSTALLATION ACCESSORIES



10CE

11CE



- 6 PINS 3 CROSS KEYS** Outdoor Indoor
- Bolt body, made of steel sheet.
 - Precision 6-bolt brass cylinder.
 - Metal front.
 - Solid brass latch.
 - Includes two versions of decorative shields.



ITEM	FUNCTION	
	Satin nickel	
10CE	Double	1
	Black	
11CE	Double black	1


LOCKSET HOOKBOLT

RESIDENTIAL LINE STANDARD SECURITY INCLUDES INSTALLATION ACCESSORIES



L2101NI

L2101




- 6 PINS 3 CROSS KEYS** Outdoor Indoor
- For metal and wood sliding doors with thickness of 1-1/4" to 1-3/4".
 - 2 different decorative shields.



ITEM	FUNCTION	
	Satin nickel	
L2101NI	Hook	1
	Antique brass	
L2101	Hook	1


LOCKSET DEADBOLT

RESIDENTIAL LINE STANDARD SECURITY INCLUDES INSTALLATION ACCESSORIES



- Reinforced steel body offers increased durability.
- Mortise Mechanism
- Made of high resistance steel.
- Precision 6-bolt brass cylinder.
- Head of the latch made of stainless steel.
- Metal front.


- 6 PINS 3 CROSS KEYS** Outdoor Indoor
- For metal and wood sliding doors with thickness of 1-1/4" to 1-3/4".
 - 2 different decorative shields.



ITEM	FUNCTION	
	Antique brass	
L2102	Palette	1



HYDRAULIC DOOR CLOSER




Closing speed
regulating valve.




Adjustable
arm.


Final impulse
regulating valve.

**Hold open:**

Mechanism that allows you to keep the door open automatically.

**Back check:**

Adjustable brake system that avoids collisions between the door and the wall.

**Final boost:**

Mechanism that allows to regulate the closing speed.

Valve regulation:
Turn the valve with a screwdriver to adjust both closing speed, final impulse and Back check function according to your needs.


- Adjustable steel arm.
- Aluminum body.
- Anti-spill hydraulic cylinder.
- Opening range: 180°.
- Closing speed and final blow adjustment screws.
- Soft closing.



ITEM	CAPACITY	HYDRAULIC DOOR CLOSERS	MAXIMUM DOOR WIDTH REGULAR ARM		DOOR MAXIMUM PARALLEL ARM		
			INSIDE	OUTSIDE	INSIDE	OUTSIDE	
12CP	66.1-99.2 lb	Hold open	35.82"	31.88"	31.88"	27.95"	1
15CP	99.2-143.3 lb	Hold open	42.12"	35.82"	35.82"	31.88"	1
11CP	66.1-99.2 lb	Back check	35.82"	31.88"	31.88"	27.95"	1
14CP	99.2-143.3 lb	Back check	42.12"	35.82"	35.82"	31.88"	1
10CP	66.1-99.2 lb	Automatic	35.82"	31.88"	31.88"	27.95"	1
13CP	99.2-143.3 lb	Automatic	42.12"	35.82"	35.82"	31.88"	1



SWEEP ONE TOUCH 1 POINT WITH HANDLE




- Adjustable to different door widths.
- Silent operation.



ITEM	FUNCTION	FINISH	
10BA	Sweep one touch 1 point with handle	Aluminum	1

SWEEP ONE TOUCH 1 POINT




- Adjustable to different door widths.
- Silent operation.



ITEM	FUNCTION	FINISH	
11BA	Sweep one touch 1 point	Aluminum	1

2 POINT UNIVERSAL BAR

COMMERCIAL LINE STANDARD SECURITY INCLUDES INSTALLATION ACCESSORIES ADA COMPLIANT




ANSI 1
GRADE

- For swing doors with thicknesses from 1" to 2" (25 mm to 51 mm).
- Silent operation.

ITEM	FUNCTION	FINISH	
L220AL	Touch 2 points	Aluminum	1

1 POINT UNIVERSAL BAR

COMMERCIAL LINE STANDARD SECURITY INCLUDES INSTALLATION ACCESSORIES ADA COMPLIANT



ANSI 1
GRADE

- For swing doors with thicknesses from 1" to 2" (25 mm to 51 mm).
- Silent operation.

ITEM	FUNCTION	FINISH	
L200AL	Touch 1 points	Aluminum	1

DOOR GUARD WITH CHAIN



DOOR GUARD WITH CHAIN

RESIDENTIAL LINE




L048CSB



L048LBB



L048LAB



- Smooth performance mechanism.
- Reinforced chain for greater security.


ITEM	FUNCTION		ITEM	FUNCTION		ITEM	FUNCTION	
L048CSB	Satin chrome	1	L048LBB	Polished brass	1	L048LAB	Antique brass	1
	Safety pin			Safety pin			Safety pin	

SAFETY PINS FOR SWING DOORS

RESIDENTIAL LINE




L044CSB



L044LAB



L044LBB



- Reinforced zamac body

ITEM	FUNCTION	
L044CSB	Satin chrome	1
	Safety	
L044LBB	Polished brass	1
	Safety	
L044LAB	Antique brass	1
	Safety	

SURFACE BAR BOLT

RESIDENTIAL LINE



L036NIB



L036D



L036LBB

Dimension	mm	A	B	C	D	E
5 cm	51	2.008	36	1.449	36	1.417
8 cm	75	2.953	56	2.205	42	1.654
12 cm	126	4.961	96	3.780	65	2.559
					28	1.126
					187	7.362

- Body made of steel sheet with reinforcement.
- Safety button knurled with rope.

ITEM	SIZE		ITEM	SIZE	
L035NIB	1.96"	1	L036LBB	3.14"	1
L036NIB	3.14"	1	L038LBB	4.72"	1
L038NIB	4.72"	1		Burnished brass	
	Polished brass		L035D	1.96"	1
L035LBB	1.96"	1	L036D	3.14"	1
			L038D	4.72"	1

DOOR HASP

DOOR HASP

RESIDENTIAL LINE




LPC412NIB



LPC412LBB

DIMENSION	A		B		C		D		E	
	mm	in	mm	in	mm	in	mm	in	mm	in
1 3/4"	19	0.75	49	1.92	20	0.80	11	0.45	16	0.64
2 1/2"	25	1.00	63	2.49	31	1.23	27	1.07	17	0.69
3 1/4"	38	1.50	87	3.43	38	1.52	36	1.43	42	1.68
4 1/2"	38	1.50	115	4.56	37	1.47	35	1.38	42	1.65
6"	45	1.77	158	6.22	78	3.08	44	1.75	46	1.81



- Body made of steel sheet with reinforcements.
- Weather resistant finish.

ITEM	FUNCTION	
	Nickel	
LPC134NIB	1-3/4"	1
LPC212NIB	2-1/2"	1
LPC314NIB	3-1/4"	1
LPC412NIB	4-1/2"	1

ITEM	FUNCTION	
	Polished brass	
LPC134LBB	1-3/4"	1
LPC212LBB	2-1/2"	1
LPC314LBB	3-1/4"	1
LPC412LBB	4-1/2"	1

DOOR VIEWER

DOOR VIEWER

RESIDENTIAL LINE



LM200NSB




LM200LBB



LM200LAB

- For doors from 1.37" to 1.77" (1-3/8" to 1-3/4").
- Brass body.
- Lens with 200° angle of visibility.




ITEM	FINISH	
LM200NSB	Satin nickel	6
LM200LBB	Polished brass	6
LM200LAB	Antique brass	6

DOOR STOP

MAGNETIC DOOR STOP

RESIDENTIAL LINE



- Spring stop with magnetic action that fixes the door in addition to protecting it.
- Includes screws and installation plugs.



ITEM	FUNCTION	
	Satin nickel	
L1054LCS	From the floor	6

CATARINA TYPE STOP

RESIDENTIAL LINE




L054CSB



L054LBB



L054LAB



- Zamac body.
- Rubber reinforcement for door protection.
- Includes screw and plug for installation.



ITEM	FUNCTION	
	Satin chrome	
L054CSB	From the floor	1
ITEM	FUNCTION	
	Polished brass	
L054LBB	From the floor	1
ITEM	FUNCTION	
	Antique brass	
L054LAB	From the floor	1

KICK DOWN DOOR STOP

RESIDENTIAL LINE




L059CBB



L059LBB



L059LAB



- Made of zamak with non-slip rubber tip.
- Includes screw and plug for installation.



ITEM	FUNCTION	
	Satin chrome	
L059CBB	For door	1
ITEM	FUNCTION	
	Polished brass	
L059LBB	For door	1
ITEM	FUNCTION	
	Antique brass	
L059LAB	For door	1

DOOR SEAL

DOOR SEAL AUTOMATIC



- System that facilitates door opening and prevents rapid wear of the rubber.
- Prevents the entrance of dust, dirt, insects, rodents and drafts.
- Aluminum profile and high resistance PVC rubber.
- Easy to cut to install on smaller doors.
- For use on front doors, bedrooms, patios, balconies, office, home, industry, etc.

BULK


ITEM	LENGTH	FINISH	
12GP	35.43"	Aluminum	10
LGPA100A	39.37"	Aluminum	10
LGPA100B	39.37"	White	10
LGPA100N	39.37"	Black	10
LGPA100D	39.37"	Golden	10
14GP	39.37"	Bronze	10

MAILBOXES

MAILBOXES





- Wide entrance for envelopes.
- Hinged collection door.
- Padlock holder.
- Weather resistant.



ITEM	COLOR	DIMENSIONS	
10BZ	White	8.46" x 13.77" x 4.13"	1

ITEM	COLOR	DIMENSIONS	
11BZ	Black	8.46" x 13.77" x 4.13"	1

DOOR SEAL CLASSIC



- Prevents the entrance of dust, dirt, insects, rodents and drafts.
- Aluminum profile and high resistance PVC rubber.
- Easy to cut to install on smaller doors.
- For use on front doors, bedrooms, patios, balconies, office, home, industry, etc.

BULK

ITEM	LENGTH	FINISH	
10GP	35.43"	Aluminum	10
LGP100A	39.37"	Aluminum	10
LGP100B	39.37"	White	10
LGP100N	39.37"	Black	10
LGP100D	39.37"	Golden	10

METAL BOXES FOR KEYS


KEYS BOXES



NEW



- Key Holder.
- Numbered Labels.
- Screws.



ITEM	MATERIAL	STEEL GAUGE	CAPACITY	A	B	C		
CLL36	Steel	0.7	36 keys	6.3"	7.9"	3"	1	\$463
CLL60	Steel	0.7	60 keys	7.9"	9.8"	3"	1	\$563




LETTER 4" BOLD



ITEM	FUNCTION	
	Satin chrome	
L70AC	Letter A	5
L70BC	Letter B	5
L70CC	Letter C	5
L70DC	Letter D	5

LETTER 4" SLIM



L701ACS L701BCS L701CCS



L701ALB L701BLB L701CLB



ITEM	FUNCTION		ITEM	FUNCTION	
	Satin chrome			Polished brass	
L701ACS	Letter A	5	L701ALB	Letter A	5
L701BCS	Letter B	5	L701BLB	Letter B	5
L701CCS	Letter C	5	L701CLB	Letter C	5
L701DCS	Letter D	5	L701DLB	Letter D	5

NUMBER 4" BOLD



L601C L602C L603C



ITEM	FUNCTION	
	Satin chrome	
L600C	Number 0	5
L601C	Number 1	5
L602C	Number 2	5
L603C	Number 3	5
L604C	Number 4	5
L605C	Number 5	5
L606C	Number 6	5
L607C	Number 7	5
L608C	Number 8	5
L609C	Number 9	5

NUMBER 4" SLIM



L6801CS L6802CS L6803CS




L6801LB L6802LB L6803LB




ITEM	FUNCTION	
	Satin chrome	
L6800CS	Number 0	5
L6801CS	Number 1	5
L6802CS	Number 2	5
L6803CS	Number 3	5
L6804CS	Number 4	5
L6805CS	Number 5	5
L6806CS	Number 6	5
L6807CS	Number 7	5
L6808CS	Number 8	5
L6809CS	Number 9	5

ITEM	FUNCTION	
	Polished brass	
L6800LB	Number 0	5
L6801LB	Number 1	5
L6802LB	Number 2	5
L6803LB	Number 3	5
L6804LB	Number 4	5
L6805LB	Number 5	5
L6806LB	Number 6	5
L6807LB	Number 7	5
L6808LB	Number 8	5
L6809LB	Number 9	5




FUNCTION



DETERMINE THE DIRECTION OF THE DOOR

The opening direction of the doors is determined by standing on the outside of the room facing the door and observing the position of the hinges, if the hinges are placed on the right side, the door is right, while if they are placed on the left side will be the left door.



EASY INSTALL SYSTEM


The outer cylinder is attached to the lock body, this system reduces installation time, especially in new installations.



CLASSIC SYSTEM


The outer cylinder is separated from the main body, this system favors the installation for replacements in old or current installations.

FUNCTION



Case and counter in corrosion resistant stainless steel finish.

Automatic drive of deadbolt when closing the door.



Security button to lock the latch.

Cylinder made of brass, with combinations 6 pins, reel type, is more difficult to force the lock.

LOCK, 2 DEADBOLTS AUTOMATIC HIGH SECURITY



6 PINS 6 DIMPLE KEYS

- Automatic activation when the door is closed.
- Case and counter in corrosion resistant stainless steel.
- Lock button.



ITEM	FUNCTION	FINISH	Q
L7725ADB IN	2 deadbolt	Stainless	1

LOCK, DEADBOLTS AUTOMATIC HIGH SECURITY




6 PINS 6 DIMPLE KEYS

- Automatic activation when the door is closed.
- Case and counter in corrosion resistant stainless steel.
- Lock button.




ITEM	FUNCTION	FINISH	Q
L7725ATA IN	Deadbolt	Stainless	1

FUNCTION



Case and counter 100% painted with electrostatic painting.

Cylinder made in solid brass, 5 pins of combinations to make more difficult to force the lock.



Integrated gag-type latch with vertical slam closure.

Button security, to lock the deadbolt.

SLIDING DOOR RIM SURFACE LOCK, SIMPLE CYLINDER



L520DGS



5 PINS 3 STANDARD KEYS

- Iron body with weldable base.
- Jimmy proof style deadlock with integrated latch and deadbolt.
- Lock button.



ITEM	FUNCTION	FINISH	Q
L520DGS	Right	Gray	1
L520IGS	Left	Gray	1

SLIDING DOOR RIM SURFACE LOCK, DOUBLE CYLINDER



L530DGS



5 PINS 3 STANDARD KEYS

- Iron body with weldable base.
- Jimmy proof style deadlock with integrated latch and deadbolt.
- Lock button.



ITEM	FUNCTION	FINISH	Q
L530DGS	Right	Gray	1
L530IGS	Left	Gray	1

SURFACE RIM LOCK TWO DEADBOLTS EASY TO INSTALL

RIM LOCK STANDARD KEYS WITH 2 DEADBOLTS

RESIDENTIAL LINE STANDARD SECURITY 400 000 LIFECYCLES EASY INSTALL

5 PINS 2 STANDARD KEYS

- Pin combination.
- Two deadbolts for more security.
- Integrated cylinder.



ITEM	FUNCTION	PACKAGE	
29CS	Right	Blister	1
28CS	Left	Blister	1
31CS	Right	Color box	1
30CS	Left	Color box	1

SURFACE RIM LOCK NICKEL SATIN EASY TO INSTALL

RIM LOCK STANDARD KEY NICKEL SATIN FINISHED

RESIDENTIAL LINE STANDARD SECURITY 400 000 LIFECYCLES EASY INSTALL

5 PINS 3 STANDARD KEYS

- Nickel satin.
- Cylinder made of solid brass.
- Springs and deadbolts of stainless steel.




ITEM	FUNCTION	PACKAGE	
32CS	Right	Blister	1
33CS	Left	Blister	1
34CS	Right	Color box	1
35CS	Left	Color box	1

SURFACE RIM LOCK WITH STAINLESS STEEL EASY TO INSTALL

RIM LOCK TETRA KEY STAINLESS STEEL

RESIDENTIAL LINE HIGH SECURITY 400 000 LIFECYCLES EASY INSTALL

EASY INSTALL



Cylinder cover stainless steel.

10 PINS 3 CROSS KEYS

- Cover of stainless steel.
- Latch of two steps.
- Screw lock security.




ITEM	FUNCTION	PACKAGE	
10CS	Right	Blister	1
11CS	Left	Blister	1
12CS	Right	Color box	1
13CS	Left	Color box	1

RIM LOCK DOT KEY STAINLESS STEEL

RESIDENTIAL LINE HIGH SECURITY 400 000 LIFECYCLES EASY INSTALL

EASY INSTALL



Cylinder cover stainless steel.

6 PINS 4 DIMPLE KEYS

- Cover of stainless steel.
- Latch of two steps.
- Screw lock security.




ITEM	FUNCTION	PACKAGE	
14CS	Right	Blister	1
15CS	Left	Blister	1

RIM LOCK STANDARD KEY STAINLESS STEEL

RESIDENTIAL LINE STANDARD SECURITY 400 000 LIFECYCLES EASY INSTALL

EASY INSTALL



Cylinder cover stainless steel.

5 PINS 3 STANDARD KEYS


- Cover of stainless steel.
- Latch of two steps.
- Screw lock security.



ITEM	FUNCTION	PACKAGE	
16CS	Right	Blister	1
17CS	Left	Blister	1
18CS	Right	Color box	1
19CS	Left	Color box	1


CLASSIC SURFACE RIM LOCK WITH STAINLESS STEEL

FUNCTION



	mm	in
A	97	3.82
B	47	1.85
C	83	3.27
D	25	0.98
E	37	1.46
F	47	1.85
G	9	0.35
H	66	2.60

Clamping holes, making it easy to replace and install.




RIM LOCK TETRA KEY WITH STAINLESS STEEL

RESIDENTIAL LINE HIGH SECURITY 400 000 LIFECYCLES

10 PINS 3 CROSS KEYS

- Cylinder cover stainless steel.
- Latchbolt of two steps
- Clamping holes, making it easy to replace and install.



Cylinder cover stainless steel.



ITEM	FUNCTION	PACKAGE	
20CS	Right	Color box	1
21CS	Left	Color box	1


CLASSIC SURFACE RIM LOCK WITH STAINLESS STEEL

RIM LOCK DOT KEY WITH STAINLESS STEEL

RESIDENTIAL LINE HIGH SECURITY 400 000 LIFECYCLES STAINLESS STEEL FINISH

8 PRECISION PINS 4 DIMPLE KEYS

- Cylinder cover stainless steel.
- Latchbolt of two steps.
- Clamping holes, making it easy to replace and install.



Cylinder cover stainless steel.




ITEM	FUNCTION	PACKAGE	
22CS	Right	Color box	1
23CS	Left	Color box	1

RIM LOCK STANDARD KEY WITH STAINLESS STEEL

RESIDENTIAL LINE STANDARD SECURITY 400 000 LIFECYCLES STAINLESS STEEL FINISH

5 PINS 3 STANDARD KEYS

- Cylinder cover stainless steel.
- Latchbolt of two steps.
- Clamping holes, making it easy to replace and install.



Cylinder cover stainless steel.




ITEM	FUNCTION	PACKAGE	
24CS	Right	Blister	1
25CS	Left	Blister	1
26CS	Right	Color box	1
27CS	Left	Color box	1

ELECTRIC STRIKE

ELECTRIC STRIKE WITH COIL

COMERCIAL LINE



- No transformer needed.
- Ready to install.

- To open doors from long distance.
- Reversible.
- Adaptable to surface deadbolt locks.
- Current 127 V.



EC10


EC11



ITEM	FUNCTION		ITEM	FUNCTION	
EC10	Satin chrome	With coil	EC11	Polished brass	With coil

ELECTRIC STRIKE

COMERCIAL LINE



- To open doors from long distance.
- Reversible.
- Adaptable to surface deadbolt locks.
- Works with a transformer of current 127 V (not included).



L77CS

L77LB




ITEM	FUNCTION		ITEM	FUNCTION	
L77CS	Satin chrome	Electric strike	L77LB	Polished brass	Electric strike

SURFACE HANDLE

DECORATIVE HANDLE FOR SURFACE LOCK

RESIDENTIAL LINE




LJ77LB

LJ77LA


- Zamak body.

ITEM	FUNCTION		ITEM	FUNCTION	
LJ77LB	Polished brass	Handle	LJ77LA	Antique brass	Handle

THE FUNCTION DETERMINES THE DIRECTION OF THE DOOR




FIXED BOLT LOCK




The bar can only be operated by means of the key to close or open.

OPEN BOLT LOCK




The bar can be manually moved to open or close once it is turned with the key 360° in open or closed position. Turn the key back another 360° to lock the pin.

mm	in
A 95	3.74
B 46	1.81
C 65	2.56
D 24	0.94
E 29	1.14
F 187	7.36
G 66	2.60
H 49	1.93



Standardized clamping holes, makes it easy to replace and install.



5 pins (standard key) or 9 pins (tetra keys) of combination type reel is more difficult open with hook.

Chrome finished of high duration.

Screw security for block the bar.

Cylinder of solid brass.

OPEN BOLTLOCK, TETRA KEY



L590ICB



ITEM	FUNCTION	FINISH	
L590DCB	Right	Polished chrome	1
L590ICB	Left	Polished chrome	1

OPEN BOLTLOCK, STANDARD KEY



L570ICBB



ITEM	FUNCTION	FINISH	
L570DCBB	Right	Polished chrome	1
L570ICBB	Left	Polished chrome	1

FIXED BOLTLOCK, TETRA KEY



L580ICBB



ITEM	FUNCTION	FINISH	
L580DCBB	Right	Polished chrome	1
L580ICBB	Left	Polished chrome	1

FIXED BOLTLOCK, STANDARD KEY





L560ICBB



ITEM	FUNCTION	FINISH	
L560DCBB	Right	Polished chrome	1
L560ICBB	Left	Polished chrome	1

OPEN BOLT CURTAIN LOCK, DOUBLE LOCK




- Solid brass cylinder.
- Two-step bolt.
- Holding holes equal to other brands.
- Internal safety stop.



ITEM	FUNCTION	FINISH	
L510GS	Double bolt	Gray	1


DOWELS FOR SMITHY

MAUSER TYPE PIN



LPM85

ITEM	A in	B in	C in	D in
LPM85	3.42"	0.59"	0.19"	3.59"
LPM100	4.13"	0.94"	0.19"	4.44"
LPM130	5.11"	1.10"	0.23"	5.82"
LPM145	5.74"	1.10"	0.23"	5.82"



- Easy to install with screws, rivets or solder.
- Open-close in 2 steps.
- For installation on left or right door.
- Die cut body in one piece.
- Carbon steel bar.
- 14 gauge plate.
- Double drilled eyebrow for padlock.

BULK

ITEM	DIMENSION	
LPM85	3.34"	5
LPM100	3.93"	5
LPM130	5.11"	5
LPM145	5.70"	5

WINDOW PINS




PAVEC1

- Body made of zamak, against for a better closure.
- Pin for folding windows.

BULK

ITEM	FINISH	DIMENSIONS	
PAVEN1	Natural without strike plate	2.87"x 0.62"x 1.57"	10
PAVEN2	Natural with strike plate	2.87"x 0.62"x 1.57"	10
PAVEC1	Chrome without strike plate	2.95"x 0.62"x 1.57"	10
PAVEC2	Chrome with strike plate	2.95"x 0.62"x 1.57"	10

HIDDEN PIN FOR DOORS AND WINDOWS




- 14 gauge sheet body, 1018 3/8 round stud, threaded bar for mechanism adjustment.
- To fix on blacksmith doors and windows.
- Galvanized finish.

BULK

ITEM	DIMENSIONS	
PAOC	13.07" x 1.10"	10

LATCHES

LATCHES



LP55

- Easy to install with screws, rivets or solder.
- Lever mechanism to open and close.
- With hole for padlock body die cut in one piece.
- 14 gauge steel plate.
- Solid 1/2 "square steel bar.
- For use in: gates, bars, doors, windows, large windows, etc.

BULK

ITEM	DIMENSION	
LP30	11.81"	5
LP40	15.74"	5
LP55	21.61"	5




QUALITY
AND SECURITY

TROLLEYS

GATE TROLLEYS

RESIDENTIAL LINE



	Diameter wheels	Pellets	Body	Plate gauge	Nut	Screw
LPP500	1-7/8"	3/16"	3/4"	12	3/8"	3/8" x 3-11/16"
LCP300	15/16"	1/8"	5/8"	14	5/16"	5/16" x 2-3/16"


- Steel wheel with pellets.
- Body of square steel.
- Plate of carbon steel.
- Nut and screw of carbon steel with hexagonal head.

BULK

ITEM	LOADING CAPACITY	
LCP300	661.3 lb	10
LCP500	1102.3 lb	10

WINDOW TROLLEY

RESIDENTIAL LINE



	Diameter	Pellets	Gauge	Drilling
LCV20	7/8"	1/8"	14	3/16"

- Wheel of 7/8" diameter steel and steel pellets.
- Holes of 3/16" To fix on window.
- Body of 14 gauge sheet of carbon steel.

BULK

ITEM	LOADING CAPACITY	
LCV20	44.09 lb	10

STEEL HINGES FOR BLACKSMITH



TUBULAR HINGES

RESIDENTIAL LINE

- Coupling design.
- Installation with welding.
- Made of forged steel.
- Natural finished.
- To be used on metallic doors and windows.

BULK

ITEM	DIAMETER	
LBT38	3/8"	20
LBT12	1/2"	20
LBT58	5/8"	20
LBT34	3/4"	10
LBT1	1"	6




LBT1

PIANO HINGES

RESIDENTIAL LINE



LBP13



Coil	A	B	C	D	Length
	in	in	in	in	feet
LBP13	1	0.59	0.07	0.02	11.48
LBP23	1-1/4	0.59	0.07	0.02	11.48
LBP33	1-1/2	0.59	0.07	0.02	11.48
Sections					
LBP1	1	1.14	0.07	0.02	3.28
LBP2	1-1/4	1.14	0.07	0.02	3.28
LBP3	1-1/2	1.14	0.07	0.02	3.28

- Made of carbon steel.


ITEM	WIDTH	LENGTH	FINISH	
LBP1	1"	3.28 ft	Natural	10
LBP2	1-1/4"	3.28 ft	Natural	10
LBP3	1-1/2"	3.28 ft	Natural	10
LBP13	1"	11.48 ft	Natural	1
LBP23	1-1/4"	11.48 ft	Natural	1
LBP33	1-1/2"	11.48 ft	Natural	1

PIANO HINGES WITH HOLES

RESIDENTIAL LINE



LBP13H



	A	B	C	D	Length
	in	coil in	box in	in	feet
LBP13H	1	0.59	0.07	0.02	11.48
LBP23H	1-1/4	0.59	0.07	0.02	11.48
LBP33H	1-1/2	0.59	0.07	0.02	11.48
sections, bag					
LBP1H	1	1.18	0.07	0.02	3.28
LBP2H	1-1/4	1.18	0.07	0.02	3.28
LBP3H	1-1/2	1.18	0.07	0.02	3.28

- Made of carbon steel.

ITEM	WIDTH	LENGTH	FINISH	
LBP1H	1"	3.28 ft	Natural	10
LBP2H	1-1/4"	3.28 ft	Natural	10
LBP3H	1-1/2"	3.28 ft	Natural	10
LBP13H	1"	11.48 ft	Natural	1
LBP23H	1-1/4"	11.48 ft	Natural	1
LBP33H	1-1/2"	11.48 ft	Natural	1



EURO LINE

RESIDENTIAL
LINE



STANDARD
SECURITY



13CL



10CL




11CL



5 PINS 2 STANDARD KEYS

- Key operated latch.
- For swing doors.



ITEM	FUNCTION	
	Gray	
13CL	Double cylinder	1

ITEM	FUNCTION	
	White	
10CL	Double cylinder	1

ITEM	FUNCTION	
	Black	
11CL	Double cylinder	1

CLASSIC LINE

RESIDENTIAL
LINE



STANDARD
SECURITY



14CL




16CL



20CL



18CL



5 PINS 2 STANDARD KEYS

- Key operated latch.
- For swing doors.

ITEM	FUNCTION	
	Gray	
14CL	Turn button-cylinder	1
15CL	Double cylinder	1

ITEM	FUNCTION	
	White	
16CL	Turn button-cylinder	1
17CL	Double cylinder	1

ITEM	FUNCTION	
	Black	
19CL	Turn button-cylinder	1
20CL	Double cylinder	1

ITEM	FUNCTION	
	Brown	
18CL	Double cylinder	1

COMMERCIAL LOCKS

COMERCIAL
LINE




STANDARD
SECURITY



- For swing.



- For sliding and swing doors.




5 PINS 2 STANDARD KEYS

ITEM	DIMENSION	FINISH	
		Flat	
21CL	1-7/64"	Aluminum	1
23CL	61/64"	Aluminum	1

ITEM	DIMENSION	FINISH	
		Hook	
22CL	1-7/64"	Aluminum	1
24CL	61/64"	Aluminum	1

FURNITURE LOCKS

FURNITURE LOCKS



11CM

Vertical free action latch




Solid brass cylinder with 4 pins.



- For use in filing cabinet drawers, desks and furniture.
- For use in wood and metal furniture.

ITEM	FUNCTION	FINISH	
11CM	Flat latch	Polished chrome	1


CABINET LOCK



- For use in showcases and sideboards with sliding doors.
- For use in glass or acrylic doors.
- Rubber protections.

ITEM	FUNCTION	FINISH	
26CM	Cabinet	Polished chrome	1

TUBULAR LOCK



- 5/8" body length.
- For use in cabinets, mailboxes and lockers.

ITEM	FUNCTION	FINISH	
L050TPCBB	Flat	Polished chrome	1

CLOSET ACCESSORY

DOOR HANGER SET DOUBLE



Double top rail.



- Manufactured from 14 gauge galvanized sheet.
- Wheels made of nylon.
- Include stop, guide and screws
- For installation on right or left doors.
- Closet trolley compatible with JJ type rails on the market.
- Easy sliding once installed.

ITEM	BEARING	MAXIMUM LOAD	
CCLOD	15/16"	66.1 lb x sheet	1

DOOR HANGER SET SIMPLE



Simple top rail.



- Manufactured from 14 gauge galvanized sheet.
- Wheels made of nylon.
- Include stop, guide and screws
- For installation on right or left doors.
- Closet trolley compatible with JJ type rails on the market.
- Easy sliding once installed.

ITEM	BEARING	MAXIMUM LOAD	
CCLOS	15/16"	66.1 lb x sheet	1

DOOR HANGER SET FOR FLOOR



Floor.



- Manufactured from 14 gauge galvanized sheet.
- Wheels made of nylon.
- Include stop, guide and screws
- For installation on right or left doors.
- Closet trolley compatible with JJ type rails on the market.
- Easy sliding once installed.

ITEM	BEARING	MAXIMUM LOAD	
CCLOP	15/16"	44 lb x sheet	1

CLOSET TROLLEY RAIL TT 4 BEARINGS



Acetyl resin wheels.



Quick door mounting system.



14-gauge sheet steel body, galvanized finish.

- Includes adjusting screw.
- Easy sliding once installed.
- Closet trolleys compatible with TT type rails.
- Easy installation.

ITEM	BEARING	BEARING NUMBER	
CCLORT4	15/16"	4	1

BAG

CLOSET TROLLEY RAIL TT 2 BEARINGS



Quick door mounting system.



Acetyl resin wheels.



14-gauge sheet steel body, galvanized finish.

- Includes screw
- Easy sliding once installed
- Closet trolleys compatible with TT type rails
- Easy installation.

ITEM	BEARING	BEARING NUMBER	
CCLORT2	15/16"	2	1

BAG

RIAL TT FOR CLOSET



RIALT2

RILAT2

- Sheet rail with gray paint finish.
- Natural finish aluminum rail.
- Compatible with TT system trolley.
- It can be assembled to all kinds of closets.
- Easy installation.



RIALT2, RIALT3, RILAT2 and RILAT3 need the trolley rial CCLORT4 and CCLORT2.

BULK

ITEM	MATERIAL	LENGHT	FINISH	☞
RIALT2	Caliber 22 sheet	3.3 ft	Liquid gray paint	1
RILAT3	Caliber 22 sheet	8 ft	Liquid gray paint	1
RIALT2	Aluminum	6.5 ft	Natural	1
RIALT3	Aluminum	9.8 ft	Natural	1

OVAL TUBE FOR CLOSET



- Aluminum tube compatible with BCLO.
- Natural finished.
- Easy installation.
- For use in closet.
- Aluminum tube, hollow and light.

BULK

ITEM	MATERIAL	LENGHT	☞
TCL03	Aluminum	9.84 ft	1

HAT HOOK



10PE

11PE

PRICE PER
PIECE

- Body made of zamak.
- To hang clothes, hats, bags, etc.
- Includes screws for installation.

ITEM	MATERIAL	☞
10PE	Polished brass	10
11PE	Satin nickel	10

RIAL JJ FOR CLOSET



RIALJ2

RILAJ2

- Sheet rail with gray paint finish.
- Natural finish aluminum rail.
- Compatible with TT system trolley.
- It can be assembled to all kinds of closets.
- Recommended to use with CCLOS or CCLOD.
- Easy installation.



RILAJ2, RILAJ3, RIALJ2 and RIALJ3 need the trolley rial CCLOS and CCLOD.

BULK

ITEM	MATERIAL	LENGHT	FINISH	☞
RILAJ2	Caliber 22 sheet	3.3 ft	Liquid gray paint	1
RILAJ3	Caliber 22 sheet	8 ft	Liquid gray paint	1
RIALJ2	Aluminum	6.5 ft	Natural	1
RIALJ3	Aluminum	9.8 ft	Natural	1

SUPPORT SET FOR OVAL TUBE



To hang clothes hooks in closet and also for curtain.

- Includes screws.
- Made of zamak.
- Easy to install with screws or rivets.
- TCL03 compatible.

BAG

ITEM	MATERIAL	☞
BCLO	Zamak	1

DOUBLE HAT HOOK



12PE

13PE


PRICE PER
PIECE

- Body made of zamak.
- To hang clothes, hats, bags, etc.
- Includes screws for installation.



ITEM	MATERIAL	☞
12PE	Polished brass	10
13PE	Satin nickel	10

BIDIMENSIONAL HINGES

Qty hinges for door




Ideal measures to drill the door




Three independent adjustment


Lateral adjustment:



Height adjustment:




Depth adjustment:



BIDIMENSIONAL SOFT CLOSING HINGE

STRAIGHT HINGE

RESIDENTIAL LINE




- Piston.
- Full coverage.
- Includes screws.
- Price per bag with 2 pieces.

ITEM	HOLE DIAMETER	ANGLE	
LBD35RP	1-3/8"	105°	1

CURVED HINGE

RESIDENTIAL LINE




- Piston.
- Full coverage.
- Includes screws.
- Price per bag with 2 pieces.

ITEM	HOLE DIAMETER	ANGLE	
LBD35CP	1-3/8"	105°	1

ANGLED HINGE

RESIDENTIAL LINE




- Piston.
- Full coverage.
- Includes screws.
- Price per bag with 2 pieces.

ITEM	HOLE DIAMETER	ANGLE	
LBD35AP	1-3/8"	105°	1

BIDIMENSIONAL HINGES

STRAIGHT HINGE

RESIDENTIAL LINE




- Full coverage.
- Includes screws.
- Price per bag with 2 pieces.

ITEM	HOLE DIAMETER	ANGLE	
LBD26R	1-1/32"	95°	1
LBD35R	1-3/8"	110°	1

CURVED HINGE

RESIDENTIAL LINE




- Full coverage.
- Includes screws.
- Price per bag with 2 pieces.

ITEM	HOLE DIAMETER	ANGLE	
LBD26C	1-1/32"	95°	1
LBD35C	1-3/8"	110°	1

135° CORNER HINGE

RESIDENTIAL LINE




- Full coverage.
- Includes screws.
- Price per bag with 2 pieces.

ITEM	HOLE DIAMETER	ANGLE	
LBD135E	1-3/8"	135°	1

165° CORNER HINGE

RESIDENTIAL LINE




- Full coverage.
- Includes screws.
- Price per bag with 2 pieces.

ITEM	HOLE DIAMETER	ANGLE	
LBD165E	1-3/8"	165°	1

FRONT FRAME HINGE

RESIDENTIAL LINE



- Full coverage.
- Includes screws.
- Price per bag with 2 pieces.

ITEM	HOLE DIAMETER	ANGLE	
LBDM	1-3/8"	110°	1



CLASSIC HANDLES

RESIDENTIAL LINE



- Zamac body.
- Screws included.
- Total length 4.24".

BULK

ITEM	FINISH	DISTANCE BETWEEN SCREWS	
LJ1C01N	Satin nickel	3-63/64"	10

RESIDENTIAL LINE



- Zamac body.
- Screws included.
- Total length 4.22".

BULK

ITEM	FINISH	DISTANCE BETWEEN SCREWS	
LJ1C02B	Polished brass	3-35/64"	10

RESIDENTIAL LINE



LJ1C06B

- Zamac body.
- Screws included.
- Total length 5.15".

BULK

ITEM	FINISH	DISTANCE BETWEEN SCREWS	
LJ1C06B	Polished brass	3"	10

MODERN HANDLES

RESIDENTIAL LINE



LJ1M01R

- Zamac body.
- Screws included.
- Total length 3.47".

BULK

ITEM	FINISH	DISTANCE BETWEEN SCREWS	
LJ1M01B	Polished brass	3"	10
LJ1M01A	Antique brass	3"	10

RESIDENTIAL LINE



- Zamac body.
- Screws included.
- Total length 4.3".

BULK

ITEM	FINISH	DISTANCE BETWEEN SCREWS	
LJ1M02A	Antique brass	3-47/64"	10

RESIDENTIAL LINE



- Zamac body.
- Screws included.
- Total length 4.6".

BULK

ITEM	FINISH	DISTANCE BETWEEN SCREWS	
LJ1M03B	Polished brass	3-25/32"	10

RESIDENTIAL LINE



LJ1M04B

- Zamac body.
- Screws included.
- Total length 4.98".

BULK

ITEM	FINISH	DISTANCE BETWEEN SCREWS	
LJ1M04B	Polished brass	3.74"	10
LJ1M04A	Antique brass	3.74"	10

RESIDENTIAL LINE



- Zamac body.
- Screws included.
- Total length 5.4".

BULK

ITEM	FINISH	DISTANCE BETWEEN SCREWS	
LJ1M06N	Satin nickel	5.04"	10

RESIDENTIAL LINE



- Screws included.
- Die-cutting in one piece of metal sheet.
- Easy to install.
- To sliding doors.

BULK

ITEM	FINISH	DISTANCE BETWEEN SCREWS	
LJ1M12N	Satin chrome	2.75" x 1.18"	25

HANDLES

MODERN HANDLES

RESIDENTIAL LINE



LJM124

• Screws included.

ITEM	FINISH	DISTANCE BETWEEN SCREWS	
Solid stainless steel bar			
LJM124	Satin nickel	2.51"	10
LJM156	Satin nickel	3.77"	10
LJM188	Satin nickel	5.03"	10
LJM220	Satin nickel	6.30"	10
LJM252	Satin nickel	7.55"	10

• Screws included.

ITEM	FINISH	DISTANCE BETWEEN SCREWS	
Solid stainless steel bar			
LJM316	Satin nickel	10.07"	10
LJM444	Satin nickel	15.11"	10
LJM501	Satin nickel	17.63"	10
LJM668	Satin nickel	23.93"	10

RESIDENTIAL LINE



LJM124H

• Screws included.

ITEM	FINISH	DISTANCE BETWEEN SCREWS	
Hollow stainless steel bar			
LJM124H	Satin nickel	2.51"	10
LJM156H	Satin nickel	3.77"	10
LJM188H	Satin nickel	5.03"	10
LJM220H	Satin nickel	6.30"	10
LJM252H	Satin nickel	7.55"	10

BULK

BUTTONS

CLASSIC BUTTONS

RESIDENTIAL LINE



BULK

ITEM	FINISH	DIAMETER	
LJ2C02R	Satin nickel	1.25"	10

RESIDENTIAL LINE



BULK

ITEM	FINISH	DIAMETER	
LJ2C03N	Satin nickel	1.10"	10

RESIDENTIAL LINE



LJ2M01N

BULK

ITEM	FINISH	DIAMETER	
LJ2M01N	Satin nickel	1.14"	10
LJ2M01B	Polished brass	1.14"	10

HIGH SECURITY PADLOCK

HIGH SECURITY PADLOCKS, DISC KEY



LCAC60 LCAC50 LCAC40

ITEM	A	B	C	D	E	THICKNESS
LCAC40	1.57	1.41	1.37	0.31	1.33	0.86
LCAC50	1.96	1.57	1.69	0.39	1.49	0.86
LCAC60	2.36	1.73	1.92	0.47	1.96	0.86



- Lock extra hard designed to places with high security requirements
- Ideal to doors, fences, roll doors, storage boxes.
- Steel lock with 5 capes of coating and chrome finished.
- Thermal hardening fork resistant to cuts.
- Steel hardening body high resistant to all physical attacks type.
- Resistant to cutters, saws, impacts, levers, bits, acid and hex wrenches.



ITEM	WIDTH	LEVEL	PINS	
LCAC40	1.57"	10	7	1
LCAC50	1.96"	10	8	1
LCAC60	2.36"	10	9	1

HIGH-LEVER PADLOCKS, DISC KEYS



These characteristics apply to:
L22A60DCSB & L22A70DCSB



L22A70DCSB L22A60DCSB L22A50DCSB L22A40DCSB

ITEM	A	B	C	D	E	THICKNESS
L22A40DCSB	1.57	1.96	0.78	0.27	0.39	0.78
L22A50DCSB	1.96	2.36	0.90	0.31	0.59	0.78
L22A60DCSB	2.36	2.75	1.06	0.35	0.70	0.78
L22A70DCSB	2.75	2.95	0.90	0.39	0.74	0.78



ITEM	WIDTH	LEVEL	
L22A40DCSB	1.57"	8	1
L22A50DCSB	1.96"	9	1
L22A60DCSB	2.36"	9	1
L22A70DCSB	2.75"	9	1



HIGH SECURITY PADLOCK

ARMORED HOOK PADLOCKS




19CA

20CA



- Lock with protected hook.
- Abloy (R) key.
- Solid brass cylinder.
- Lock doors, fences, chains.
- Ideal to outdoor uses.
- Steel body covered by nylon.
- Most reliability.



ITEM	A in	B in	C in	D in	E in	THICKNESS in
19CA	1.96	2.77	0.77	0.34	1.04	0.98
20CA	2.55	3.48	25.40	1	0.42	1.14



ITEM	WIDTH	LEVEL	DISCS	KEY
19CA	1.57"	10	10	1
20CA	1.96"	10	10	1



UPGRADED
SECURITY


HOOK TYPE HIGH SECURITY PADLOCKS



NEW



55CA



ITEM	A mm	B mm	C mm	D mm	WIDTH mm
55CA	109	46	36	14	34
56CA	109	67	36	14	34



- Short and long hook type.
- Made of steel.


ITEM	WIDTH	LEVEL	PINS	KEY
Short shackle				
55CA	4.3"	10	5	1
Long shackle				
56CA	4.3"	10	5	1



DISC TYPE HIGH SECURITY PADLOCK



NEW



ITEM	A mm	B mm	C mm	D mm	WIDTH mm
57CA	70	70	24	9.5	25



- Made of steel.

ITEM	WIDTH	LEVEL	PINS	KEY
57CA	2.75"	10	4	1



NO. 9 PADLOCKS

SHORT SHACKLE PADLOCKS

COMERCIAL LINE STANDARD SECURITY LEVEL 3 ANTI-SAW ANTI-SHOCK

DOUBLE LOCK




L9S38EGS

L9S38ERJ

L9S38EAZ

L9S38ENG



ITEM	A	B	C	D	E	THICKNESS
	in	in	in	in	in	in
L9S38EGS	1.49	1.41	0.71	0.27	1.06	0.82
L9S38ERJ	1.49	1.41	0.71	0.27	1.06	0.82
L9S38EAZ	1.49	1.41	0.71	0.27	1.06	0.82
L9S38EAM	1.49	1.41	0.71	0.27	1.06	0.82
L9S38ENG	1.49	1.41	0.71	0.27	1.06	0.82

4 PINS 2 STANDARD KEYS



ITEM	WIDTH	LEVEL	COLOR	
L9S38EGS	1.49"	3	Gray	1
L9S38ERJ	1.49"	3	Red	1
L9S38EAZ	1.49"	3	Blue	1
L9S38ENG	1.49"	3	Black	1

LONG SHACKLE PADLOCKS

COMERCIAL LINE STANDARD SECURITY LEVEL 3 ANTI-SAW ANTI-SHOCK

DOUBLE LOCK




L9L38EGS

L9L38ERJ

L9S38EAZ

L9S38ENG



ITEM	A	B	C	D	E	THICKNESS
	in	in	in	in	in	in
L9L38EGS	1.49	1.41	0.71	0.27	1.57	0.82
L9L38ERJ	1.49	1.41	0.71	0.27	1.57	0.82
L9L38EAZ	1.49	1.41	0.71	0.27	1.57	0.82
L9L38EAM	1.49	1.41	0.71	0.27	1.57	0.82
L9L38ENG	1.49	1.41	0.71	0.27	1.57	0.82

4 PINS 2 STANDARD KEYS



ITEM	WIDTH	LEVEL	COLOR	
L9L38EGS	1.49"	3	Gray	1
L9L38ERJ	1.49"	3	Red	1
L9L38EAZ	1.49"	3	Blue	1
L9L38ENG	1.49"	3	Black	1


STEEL PADLOCKS

4 PADLOCKS SET, SHORT SHACKLE STANDARD KEY 1-31/64"

COMERCIAL LINE STANDARD SECURITY LEVEL 3 ANTI-SAW ANTI-SHOCK

SAME COMBINATION DOUBLE LOCK

4 PIECES



4 PINS 3 STANDARD KEYS
• Same combination.




ITEM	PIECES	WIDTH	
L22S384	4	1.49"	1

2 PADLOCKS SET, SHORT SHACKLE STANDARD KEY 1-31/64"

COMERCIAL LINE STANDARD SECURITY LEVEL 3 ANTI-SAW ANTI-SHOCK

SAME COMBINATION DOUBLE LOCK

2 PIECES



4 PINS 3 STANDARD KEYS
• Same combination.



ITEM	PIECES	WIDTH	
L22S382	2	1.49"	1


2 PADLOCKS SET, LONG SHACKLE STANDARD KEY 1-31/64"

COMERCIAL LINE STANDARD SECURITY SECURITY LEVEL **3**

ANTI-SAW ANTI-SHOCK SAME COMBINATION

2 DOUBLE LOCK

PIECES



4 PINS **3** STANDARD KEYS

• Same combination.

ITEM	PIECES	WIDTH	🔒
L22L382	2	1.49"	1


2 PADLOCKS SET, SHORT SHACKLE STANDARD KEY 1-25/32"

COMERCIAL LINE STANDARD SECURITY SECURITY LEVEL **4**

ANTI-SAW ANTI-SHOCK SAME COMBINATION

2 DOUBLE LOCK

PIECES



5 PINS **3** STANDARD KEYS

• Same combination.

ITEM	PIECES	WIDTH	🔒
L22S452	2	1.77"	1


2 PADLOCKS SET, LONG SHACKLE STANDARD KEY 1-25/32"

COMERCIAL LINE STANDARD SECURITY SECURITY LEVEL **4**

ANTI-SAW ANTI-SHOCK SAME COMBINATION

2 DOUBLE LOCK

PIECES



5 PINS **3** STANDARD KEYS

• Same combination.

ITEM	PIECES	WIDTH	🔒
L22L452	2	1.77"	1


4 PADLOCKS SET, LONG SHACKLE STANDARD KEY 1-1/2"

COMERCIAL LINE STANDARD SECURITY SECURITY LEVEL **3**

ANTI-SAW ANTI-SHOCK

SAME COMBINATION DOUBLE LOCK

4 **PIECES**



5 PINS **3** STANDARD KEYS

• Same combination.

ITEM	PIECES	WIDTH	🔒
J4CL	4	38 mm	1

DISC KEY PADLOCK

COMERCIAL LINE STANDARD SECURITY SECURITY LEVEL **5**

ANTI-SAW ANTI-SHOCK

ANTI-DRILL ANTI-PICK DOUBLE LOCK


These characteristics apply to: L22S60DCSB & L22L60DCSB



L22L40DCSB



L22S40DCSB




ITEM	A in	B in	C in	D in	E in	THICKNESS in
L22S40DCSB	1.59	1.28	0.80	0.27	1.11	0.80
L22S50DCSB	1.96	1.49	0.90	0.35	1.45	0.80
L22S60DCSB	2.36	1.69	1.06	0.39	1.77	0.80
L22L40DCSB	1.59	1.28	0.80	0.27	2.32	0.80
L22L50DCSB	1.96	1.49	0.90	0.27	2.71	0.80
L22L60DCSB	2.36	1.69	1.06	0.39	2.95	0.80

7 DISCS **3** ABLOY® KEYS

ITEM	WIDTH	LEVEL	🔒
Short shackle			
L22S40DCSB	1.59"	5	1
L22S50DCSB	1.96"	6	1
L22S60DCSB	2.36"	6	1


ITEM	WIDTH	LEVEL	🔒
Long shackle			
L22L40DCSB	1.59"	5	1
L22L50DCSB	1.96"	6	1
L22L60DCSB	2.36"	6	1

STANDARD KEY PADLOCKS, BLISTER PACKAGE




ITEM	WIDTH	LEVEL	PINS	
Short shackle				
L22S38EACB	1.49"	3	4	1
L22S45EACB	1.77"	4	5	1
L22S50EACB	1.96"	4	5	1
Long shackle				
L22L38EACB	1.49"	3	4	1
L22L45EACB	1.77"	4	5	1
L22L50EACB	1.96"	4	5	1

ROUND PADLOCKS, STANDARD KEY



ITEM	WIDTH	LEVEL	PINS	
Short shackle				
L22S65EACB	2.55"	7	5	1
Long shackle				
L22L65EACB	2.55"	7	5	1

STANDARD KEY PADLOCKS, BOX PACKAGE




ITEM	WIDTH	LEVEL	PINS	
Short shackle				
L22S38A	1.49"	3	4	1
L22S45A	1.77"	4	5	1
L22S50A	1.96"	4	5	1
Long shackle				
L22L38A	1.49"	3	4	1
L22L45A	1.77"	4	5	1
L22L50A	1.96"	4	5	1

STANDARD KEY PADLOCK




These characteristics apply to:
L22S63ELBB



ITEM	WIDTH	LEVEL	PINS	
L22S32ELBB	1.25"	3	4	1
L22S38ELBB	1.49"	3	4	1
L22S50ELBB	1.96"	4	5	1
L22S63ELBB	2.48"	4	5	1

ROLL DOOR PADLOCK SET, STANDAR KEY

NEW




5 PINS 3 STANDARD KEYS

ITEM	WIDTH	LEVEL	PINS	Ⓢ
J2CC	80 mm	7	5	1

ROLL DOOR PADLOCK SET, STANDAR KEY


NEW



5 PINS 3 STANDARD KEYS

ITEM	WIDTH	LEVEL	PINS	Ⓢ
J2CCL	80 mm	7	5	1

ROLL DOOR PADLOCK, DIMPLE KEY



5 PINS 3 DIMPLE KEYS

ROLL DOOR PADLOCKS, TETRA KEY




L22C80TCSB

L22C70TCSB

L22C80TLBB

L22C70TLBB



ITEM	A	B	C	D	E	THICKNESS
L22C70TCSB	2.75	1.18	0.90	0.47	1.02	0.78
L22C80TCSB	3.14	1.37	1.14	0.51	1.02	0.78
L22C70TLBB	2.75	1.18	0.90	0.47	0.98	0.78
L22C80TLBB	3.14	1.37	1.14	0.51	1.18	0.78

12 PINS 3 CROSS KEYS

ITEM	WIDTH	LEVEL	Ⓢ
L22C70TCSB	2.75"	8	1
L22C80TCSB	3.14"	8	1
L22C70TLBB	2.75"	6	1
L22C80TLBB	3.14"	7	1

ROLL DOOR STEEL PADLOCK, STANDAR KEY




L22C80ECSB

L22C70ECSB

L22C80ELBB

L22C70ELBB




ITEM	A	B	C	D	E	THICKNESS
L22C70ECSB	2.75	1.18	0.78	0.47	0.98	0.78
L22C80ECSB	3.14	1.37	1.18	0.51	1.18	0.78
L22C70ELBB	2.75	1.18	0.78	0.47	0.98	0.78
L22C80ELBB	3.14	1.37	1.18	0.51	1.18	0.78

5 PINS 3 STANDARD KEYS

ITEM	WIDTH	LEVEL	Ⓢ
L22C70ECSB	2.75"	6	1
L22C80ECSB	3.14"	7	1
L22C70ELBB	2.75"	6	1
L22C80ELBB	3.14"	7	1

SOLID BRASS PADLOCKS


ROLL DOOR PADLOCK, STANDARD KEY



ITEM	WIDTH	LEVEL	PINS	
L20C75EB	2.95"	6	5	1

ALUMINIUM PADLOCKS

STANDARD KEY



ITEM	A	B	C	D	E	THICKNESS
43CA	1.18	0.51	1.12	0.19	0.86	0.63
44CA	1.57	0.57	1.34	0.25	1.19	0.87
45CA	1.77	0.63	1.46	0.28	1.38	0.95
46CA	1.97	0.77	1.63	0.31	1.44	1.10
47CA	2.36	0.83	1.81	0.35	1.79	1.26
48CA	1.18	0.51	1.12	0.19	1.77	0.63
49CA	1.57	0.57	1.34	0.25	2.13	0.87
50CA	1.77	0.63	1.46	0.28	2.56	0.95
51CA	1.97	0.77	1.63	0.31	2.44	1.10
52CA	2.36	0.82	1.81	0.35	3.09	1.25




ITEM	WIDTH	LEVEL	PINS	
Short shackle				
43CA	1.18"	4	5	1
44CA	1.57"	4	5	1
Long shackle				
48CA	1.18"	4	5	1
52CA	2.36"	4	5	1



LAMINATED PADLOCK


WATERPROOF PADLOCK SET, STANDARD KEY



- Plastic covered laminated body that offers great resistance to weathering.
- Rubber plug to protect the cylinder, extending its useful life.
- Ideal for outdoor use.
- They open with the same key, ideal for use on double-padded curtains or for gates and rear doors.

ITEM	WIDTH	LEVEL	PINS	
18CA	1.57"	4	4	1

4 WATERPROOF PADLOCK SET



- Plastic covered laminated body that offers great resistance to weathering.
- Rubber plug to protect the cylinder, extending its useful life.
- Ideal for outdoor use.
- They open with the same key, ideal for use on double-padded curtains or for gates and rear doors.

CÓDIGO	WIDTH	LEVEL	PINS	
J4CIL	40 mm	4	4	1


WATERPROOF PADLOCKS, STANDARD KEY

COMERCIAL LINE STANDARD SECURITY SECURITY LEVEL 4 DOUBLE LOCK



C25L40

C25S40



ITEM	A	B	C	D	E	THICKNESS
C25S40	1.57	1.54	0.75	0.31	1.02	1.26
C25L40	1.57	1.54	0.75	0.31	2.13	1.26

4 PINS 3 STANDARD KEYS

- Plastic covered laminated body that offers great resistance to weathering.
- Rubber plug to protect the cylinder, extending its useful life.
- Ideal for outdoor use.




ITEM	WIDTH	LEVEL	PINS	
C25S40	1,57"	Short shackle	4	1
C25L40	1,57"	Long shackle	4	1

4 LAMINATED PADLOCKS SET

COMERCIAL LINE STANDARD SECURITY SECURITY LEVEL 3 ANTI-SAW ANTI-SHOCK

SAME COMBINATION

4 PIECES



5 PINS 3 STANDARD KEYS

- Double lock.
- Hardened steel hook.
- Solid brass cylinder.
- Reinforced laminated body.
- High strength and durability.
- Hardened steel fork that increases resistance to cutting.
- Open with the same key, 5 pin, 4 pieces.



ITEM	MEDIDA	NIVEL	PERNOS	EMPAQUE	SUB DIST.	MAYOREO	MENUDEO
J4CLA	40 mm	4	5	Blister	1	\$000	\$000

LAMINATED PADLOCKS SET

COMERCIAL LINE STANDARD SECURITY SECURITY LEVEL 3 ANTI-SAW ANTI-SHOCK

SAME COMBINATION


2 PIECES



16CA



17CA



ITEM	A	B	C	D	E	THICKNESS
16CA	1.57	1.28	0.83	0.24	1.14	0.89
17CA	1.97	1.46	0.94	0.35	1.46	1.02

5 PINS 3 STANDARD KEYS

- Double lock.
- Hardened steel shackle.
- Solid brass cylinder.
- Reinforced laminated body.
- High resistance and durability.
- Hardened steel shackle that increases cut resistance.



ITEM	WIDTH	LEVEL	PINS	
16CA	1,57"	4	5	1
17CA	1,97"	4	5	1

LAMINATED PADLOCK, STANDARD KEY

COMERCIAL LINE STANDARD SECURITY SECURITY LEVEL 3 ANTI-SAW ANTI-SHOCK




C23S65

C23S50

C23S45

C23S40

C23S30



ITEM	A	B	C	D	E	THICKNESS
C23S30	1.18	1.02	0.55	0.20	0.63	0.83
C23S40	1.57	1.30	0.79	0.24	0.91	1.02
C23S45	1.77	1.30	1.10	0.28	1.30	0.94
C23S50	1.97	1.46	0.94	0.35	1.06	1.14
C23S65	2.56	1.77	1.61	0.43	1.77	1.18


5 PINS 3 STANDARD KEYS



ITEM	WIDTH	LEVEL	PINS	
C23S30	1,18"	3	3	1
C23S40	1,57"	3	3	1
C23S45	1,77"	4	5	1
C23S50	1,97"	4	4	1
C23S65	2,56"	4	6	1

TSA PADLOCKS

RESIDENTIAL LINE  SECURITY LEVEL **3** PROGRAMMABLE DISC 



- Pull the shackle.
 - Rotate.
 - Configure and use.
- TSA: universal key that can only be opened by customs officials at the airport.
 - Avoid damaging your luggage.



53CA


54CA



ITEM	WIDTH	COLOR	
53CA	0,79"	Pink	1
54CA	1,18"	Black	1

COMBINATION SUITCASE PADLOCK

RESIDENTIAL LINE  STANDARD SECURITY  SECURITY LEVEL **2** PROGRAMMABLE DISC 



L21M20PT

L21M36




- With change of combination.

ITEM	WIDTH	LEVEL	
L21M20PT	0,98"	2	1
L21M36	1,50"	2	1

DIGITAL PADLOCK

RESIDENTIAL LINE  STANDARD SECURITY  SECURITY LEVEL **3** DIGITAL COMBINATION 



ITEM	A	B	C	D	E	THICKNESS
	in	in	in	in	in	in
C27C35	1.38	1.50	0.75	0.20	0.75	0.63
C27C40	1.57	1.69	0.87	0.24	0.91	0.63
C27R35	1.38	1.50	0.75	0.20	0.75	0.63
C27R40	1.57	1.69	0.87	0.24	1.18	0.63



C27C40


C27R35



ITEM	WIDTH	LEVEL	FINISH	
C27C35	1,38"	3	Polished chrome	1
C27C40	1,57"	3	Polished chrome	1
C27R35	1,38"	3	Red	1
C27R40	1,57"	3	Red	1

COMBINATION PADLOCKS

RESIDENTIAL LINE  STANDARD SECURITY  SECURITY LEVEL **3** PROGRAMMABLE DISC 



ITEM	A	B	C	D	E	THICKNESS
	in	in	in	in	in	in
10CA	0.79	1.18	0.59	0.12	0.98	0.39
11CA	1.18	1.20	0.63	0.16	1.00	0.43
12CA	1.57	1.42	1.38	0.20	1.30	0.51



12CA

11CA

10CA



- Ideal for lockers and luggage.
- Solid brass body and programmable discs.
- Iron short shackle.
- You can change the combination as many times as necessary.

ITEM	MEASURE	DISC QUANTITY	
10CA	0,79"	3	1
11CA	1,18"	3	1
12CA	1,57"	4	1

DISC COMBINATION PADLOCK

RESIDENTIAL LINE  STANDARD SECURITY  SECURITY LEVEL **3** COMBINATION DISC 



L26S50NGB

L26S50RJB

L26S50AMB



ITEM	WIDTH	LEVEL	PINS	
L26S50NGB	1,97"	3	Black	1
L26S50RJB	1,97"	3	Red	1
L26S50AMB	1,97"	3	Yellow	1

LOCK FOR MOTORCYCLE

DISC BRAKE PADLOCK

COMMERCIAL LINE  STANDARD SECURITY  SECURITY LEVEL **3** ANTI-PRY  ANTI-SAW  ANTI-SHOCK 



21CA



- To use in vehicles with brakes as motorcycle and scooters.



ITEM	DESCRIPTION	
21CA	Disc brake padlock 25/64"	1

ALARM PADLOCK

DISC BREAK PADLOCK

COMERCIAL LINE HIGH SECURITY SECURITY LEVEL 6 ((110 dB))

INCLUDED BATERIES



A	B	C	D	E
in	in	in	in	in
3.54	2.36	1.18	0.28	0.28



- Batteries included.
- Zinc body, chrome finish.
- Acconditionated disc blocked.
- Steel pin.
- Cylinder's solid brass body.
- Easy to use.
- The disc block the motorcycle movement.



ITEM	BOLT TYPE	BODY	LEVEL	
CAS00	Button	Chrome-zinc	6	1

CABLE LOCK

CABLE LOCK WITH KEY

COMERCIAL LINE STANDARD SECURITY SECURITY LEVEL 3 BRAIDED STEEL CABLE



- Key with blue led light.
- PVC cover.
- Includes 3 keys with 4 pins.
- Single cylinder.
- Bike frame mount bracket included (except code 13CN).



10CN




ITEM	DIAMETER IN	LENGHT IN	
10CN	0.39"	39.37"	1
11CN	0.47"	47.24"	1
12CN	0.59"	39.37"	1
13CN	0.71"	47.24"	1

DOUBLE LOCK PADLOCK WITH ALARM

COMERCIAL LINE HIGH SECURITY SECURITY LEVEL 6 ANTI-SHOCK ((110 dB))

INCLUDED BATERIES DOUBLE CYLINDER



- Aluminum alloy body.
- Steel fork, chrome finish.
- Double lock.
- Batteries included.
- Easy to use.
- The alarm sounds when the padlock doesn't close correctly.
- High security dimple key.
- Solid brass body and 5 pins.



ITEM	WIDTH	LEVEL	PINS	
CAS070	2,76"	6	5	1

COMBINATION WIRE LOCK

COMERCIAL LINE STANDARD SECURITY SECURITY LEVEL 3 BRAIDED STEEL CABLE

PROGRAMABLE DISC



14CN



- Cylinder with combination of 4 numbers.
- Bike frame mount bracket included.

ITEM	DIAMETER IN	LENGHT IN	
14CN	0.31"	39.37"	1
15CN	0.31"	47.24"	1

ALPHANUMERIC INDEX

ITEM	PAGE	ITEM	PAGE	ITEM	PAGE
10BA	14	13CA	36	17PO	9
10BR	13	13CB	8	18CA	37
10BZ	17	13CE	11	18CL	25
10CA	39	13CL	25	18CS	20
10CB	8	13CN	40	18MA	10
10CD	11	13CP	14	18PO	9
10CE	13	13CS	20	19CA	31
10CL	25	13GA	6	19CL	25
10CN	40	13MA	10	19CS	20
10CP	14	13PE	27	19MA	10
10CS	20	13PO	9	19PO	9
10GA	6	14CA	36	20CA	31
10GP	17	14CB	8	20CL	25
10MA	10	14CE	11	20CS	20
10PE	27	14CL	25	20MA	10
10PO	9	14CN	40	20PO	9
11BA	14	14CP	14	21CA	39
11BR	13	14CS	20	21CL	25
11BZ	17	14GA	6	21CS	20
11CA	39	14GP	17	21MA	10
11CB	8	14MA	10	21PO	9
11CE	13	14PO	9	22CL	25
11CL	25	15CA	36	22CS	21
11CM	26	15CB	8	22MA	10
11CN	40	15CE	11	22PO	9
11CP	14	15CL	25	23CL	25
11CS	20	15CN	40	23CS	21
11GA	6	15CP	14	23MA	10
11MA	10	15CS	20	23PO	9
11PE	27	15MA	10	24CL	25
11PO	9	15PO	9	24CS	21
12CA	39	16CA	38	24MA << NEW	10
12CB	8	16CE	11	24PO	9
12CE	11	16CL	25	25CS	21
12CN	40	16CS	20	26CM	26
12CP	14	16MA	10	26CS	21
12CS	20	16PO	9	27CS	21
12GA	6	17CA	38	28CS	20
12GP	17	17CE	11	29CS	20
12MA	10	17CL	25	30CS	20
12PE	27	17CS	20	31BL	12
12PO	9	17MA	10	31CS	20



ALPHANUMERIC INDEX

ITEM	PAGE	ITEM	PAGE	ITEM	PAGE
32BL	12	EC10	21	L20S25EB	36
32CS	20	EC11	21	L20S30EB	36
33BL	12	J2CC << NEW	35	L20S40BB	36
33CS	20	J2CCL << NEW	35	L20S40EB	36
34BL	12	J4CIL << NEW	37	L20S40QB	36
34CS	20	J4CL << NEW	33	L20S40TB	36
35CS	20	J4CLA << NEW	38	L20S45EB	36
43CA	37	L035D	15	L20S50BB	36
44CA	37	L035LBB	15	L20S50EB	36
48CA	37	L035NIB	15	L20S50QB	36
52CA	37	L036D	15	L20S50TB	36
53CA	39	L036LBB	15	L20S60BB	36
54CA	39	L036NIB	15	L20S60QB	36
55CA << NEW	31	L038D	15	L20S60TB	36
56CA << NEW	31	L038LBB	15	L20X30EB	36
57CA << NEW	31	L038NIB	15	L20X40EB	36
BCLO	27	L044CSB	15	L20X50EB	36
BICS20	5	L044LAB	15	L2101	13
BICS25	5	L044LBB	15	L2101NI	13
BICS30	5	L048CSB	15	L2102	13
BICS35	5	L048LAB	15	L21M20PT	39
BICS40	5	L048LBB	15	L21M36	39
C23S30	38	L050TPCBB	26	L220AL	15
C23S40	38	L054CSB	16	L22A40DCSB	30
C23S45	38	L054LAB	16	L22A50DCSB	30
C23S50	38	L054LBB	16	L22A60DCSB	30
C23S65	38	L059CBB	16	L22A70DCSB	30
C25L40	38	L059LAB	16	L22C70ECSB	35
C25S40	38	L059LBB	16	L22C70ELBB	35
C27C35	39	L1054LCS	16	L22C70TCSB	35
C27C40	39	L119ELA	7	L22C70TLBB	35
C27R35	39	L119ELB	7	L22C80ECSB	35
C27R40	39	L119QLA	7	L22C80ELBB	35
CAS070	40	L119QLB	7	L22C80QCBB	35
CAS0D	40	L200AL	15	L22C80TCSB	35
CCL0D	26	L20C75EB	37	L22C80TLBB	35
CCL0P	26	L20L25EB	36	L22L382	33
CCLORT2	26	L20L30EB	36	L22L38A	34
CCLORT4	26	L20L40EB	36	L22L38EACB	34
CCL0S	26	L20L45EB	36	L22L40DCSB	33
CLL36 << NEW	17	L20L50EB	36	L22L452	33
CLL60 << NEW	17	L20S20EB	36	L22L45A	34

ALPHANUMERIC INDEX

ITEM	PAGE	ITEM	PAGE	ITEM	PAGE
L22L45EACB	34	L580ICBB	22	L70BC	18
L22L50A	34	L590DCB	22	L70CC	18
L22L50DCSB	33	L590ICB	22	L70DC	18
L22L50EACB	34	L600C	18	L7725ADBIN	19
L22L60DCSB	33	L601C	18	L7725ATAIN	19
L22L65EACB	34	L602C	18	L77LB	21
L22S32ELBB	34	L603C	18	L9L38EAZ	32
L22S382	32	L604C	18	L9L38EGS	32
L22S384	32	L605C	18	L9L38ENG	32
L22S38A	34	L606C	18	L9L38ERJ	32
L22S38EACB	34	L607C	18	L9S38EAZ	32
L22S38ELBB	34	L608C	18	L9S38EGS	32
L22S40DCSB	33	L609C	18	L9S38ENG	32
L22S452	33	L6800CS	18	L9S38ERJ	32
L22S45A	34	L6800LB	18	LBA10LB	12
L22S45EACB	34	L6801CS	18	LBA10NI	12
L22S50A	34	L6801LB	18	LBA15LA	12
L22S50DCSB	33	L6802CS	18	LBA15LB	12
L22S50EACB	34	L6802LB	18	LBA15NI	12
L22S50ELBB	34	L6803CS	18	LBA20LA	12
L22S60DCSB	33	L6803LB	18	LBA20LB	12
L22S63ELBB	34	L6804CS	18	LBA20NI	12
L22S65EACB	34	L6804LB	18	LBA25LA	12
L26S50AMB	39	L6805CS	18	LBA25LB	12
L26S50NGB	39	L6805LB	18	LBA25NI	12
L26S50RJB	39	L6806CS	18	LBA30LA	12
L510GS	23	L6806LB	18	LBA30LB	12
L520DGS	19	L6807CS	18	LBA30NI	12
L520IGS	19	L6807LB	18	LBA35LA	12
L530DGS	19	L6808CS	18	LBA35LB	12
L530IGS	19	L6808LB	18	LBA35NI	12
L560DCB	22	L6809CS	18	LBA40LA	12
L560DCBB	22	L6809LB	18	LBA40LB	12
L560ICB	22	L701ACS	18	LBA40NI	12
L560ICBB	22	L701ALB	18	LBC20LA	12
L570DCB	22	L701BCS	18	LBC20LB	12
L570DCBB	22	L701BLB	18	LBC20NS	12
L570ICB	22	L701CCS	18	LBC25LA	12
L570ICBB	22	L701CLB	18	LBC25LB	12
L580DCB	22	L701DCS	18	LBC25NS	12
L580DCBB	22	L701DLB	18	LBC30LA	12
L580ICB	22	L70AC	18	LBC30LB	12

ALPHANUMERIC INDEX

ITEM	PAGE	ITEM	PAGE	ITEM	PAGE
LBC30NS	12	LCM70ENS	8	LJM316	30
LBC35LA	12	LCM70NS	8	LJM444	30
LBC35LB	12	LCM70QNS	8	LJM501	30
LBC35NS	12	LCP300	24	LJM668	30
LBC40LA	12	LCP500	24	LM200LAB	16
LBC40LB	12	LCV20	24	LM200LBB	16
LBC40NS	12	LGP100A	17	LM200NSB	16
LBD135E	28	LGP100B	17	LMG45ELB	8
LBD165E	28	LGP100D	17	LMG45QLB	8
LBD26C	28	LGP100N	17	LP30	23
LBD26R	28	LGPA100A	17	LP40	23
LBD35AP	28	LGPA100B	17	LP55	23
LBD35C	28	LGPA100D	17	LPC134LBB	16
LBD35CP	28	LGPA100N	17	LPC134NIB	16
LBD35R	28	LH119LA	8	LPC212LBB	16
LBD35RP	28	LH119LB	8	LPC212NIB	16
LBDM	28	LJ1C01N	29	LPC314LBB	16
LBP1	24	LJ1C02B	29	LPC314NIB	16
LBP13	24	LJ1C06B	29	LPC412LBB	16
LBP13H	24	LJ1M01A	29	LPC412NIB	16
LBP1H	24	LJ1M01B	29	LPM100	23
LBP2	24	LJ1M02A	29	LPM130	23
LBP23	24	LJ1M03B	29	LPM145	23
LBP23H	24	LJ1M04A	29	LPM85	23
LBP2H	24	LJ1M04B	29	LR000B	11
LBP3	24	LJ1M06N	29	LR030B	11
LBP33	24	LJ1M12N	29	LR062B	11
LBP33H	24	LJ2C02R	30	PAOC	23
LBP3H	24	LJ2C03N	30	PAVEC1	23
LBT1	24	LJ2M01B	30	PAVEC2	23
LBT12	24	LJ2M01N	30	PAVEN1	23
LBT34	24	LJ77LB	21	PAVEN2	23
LBT38	24	LJM124	30	RIALJ2	27
LBT58	24	LJM124H	30	RIALJ3	27
LC60ELB	8	LJM156	30	RIALT2	27
LC60QLB	8	LJM156H	30	RIALT3	27
LC70ENS	8	LJM188	30	RILAJ2	27
LC70QNS	8	LJM188H	30	RILAJ3	27
LCAC40	30	LJM220	30	RILAT2	27
LCAC50	30	LJM220H	30	RILAT3	27
LCAC60	30	LJM252	30	TCL03	27
LCHSSPE	7	LJM252H	30		



SOLUTIONS
FOR ALL YOUR NEEDS



*Always
secure*